FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

ITCH Fusion Protein



Basic Information	Catalog Number:	Peptide Sequence:
	Ag14688	TLFEDSFQQIMSFSPQDLRRRLWVIFPGEEGLDYGGV
	Form:	AREWFFLLSHEVLNPMYCLFEYAGKDNYCLQINPASY NPDHLKYFRFIGRFIAMALFHGKFIDTGFSLPFYKRILN
	Available lyophilized	KPVGLKDLESIDPEFYNSLIWVKENNIEECDLEMYFSV
	Species:	DKEILGEIKSHDLKPNGGNILVTEENKEEYIRMVAEWRL
	human	SRGVEEQTQAFFEGFNEILPQQYLQYFDAKELEVLLC
	Expression Source: <i>e coli</i> derived, PET28a, with N-terminal 6*His. Biological Activity: Not tested	GMQEIDLNDWQRHAIYRHYARTSKQIMWFWQFVKE IDNEKRMRLLQFVTGTCRLPVGGFADLMGSNGPQKF CIEKVGKENWLPRSHTCFNRLDLPPYKSYEQLKEKLLF AIEETEGFGQE
	Please contact the lab for more information	
	Validated Application: Blocking peptide	
	Reconstitution	Reconstitution:
	Reconstitute at 0.25 µg/ μ l in 200 μ l sterile water for short-	The product is shipped at ambient temperature.
and Storage	term storage.	Upon receipt, store it immediately at the
	After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an	recommended temperature (see below).
	equal volume of glycerol for long-term storage (see Stability	
	and Storage for more details).	
	If a different concentration is needed for your purposes please	
	adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to	
	the volume used).	
	Note: Centrifuge vial before opening. When reconstituting,	
	gently pipet and wash down the sides of the vial to ensure full	
	recovery of the protein into solution.	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
, ,	powder.	
Storage of	Short Term Storage:	
Deservation de Dratain	Store at 2-8°C for (1-2 weeks).	
Reconstituted Protein	Long Term Storage:	
	Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal	
	volume of glycerol. Avoid repeat freeze-thaw cycles.	
Selected Validation Data		
Selected validation Data	5	
	74 kDa→	
	66 kDa→	
	43 kDa→	
	←40 kDa	
	O C	

28 kDa-

20 kDa-