FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human TMEM206 protein



	Catalog Number:	Pontido Soquenco:
Basic Information	Ag15164 Size: 50 µg	Peptide Sequence: VYRTITDFREKLKHPVMSVSYKEVDRYDAPGIALYPGQ AQLLSCKHHYEVIPPLTSPGQPGDMNCTTQRINYTDP FSNQTVKSALIVQGPREVKKRELVFLQFRLNKSSEDFS AIDYLLFSSFQEFLQSPNRVGFMQACESAYSSWKFSQ
	Form: GFRTWVKMSLVKTKEEDGREAVEFRQETS	GFRTWVKMSLVKTKEEDGREAVEFRQETSVVNYIDQ RPAAKKSAQLFFVVFEWKDPFIQKVQDIVTA
	human <mark>Expression Source: <i>e coli</i>derived, PET28a, with N-terminal 6*His.</mark>	
	Biological Activity: Not tested	
	Endotoxin Level: Please contact the lab for more information	
Reconstitution and Storage	 Reconstitution: Reconstitute at 0.25 µg/µl in 200µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. 	Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4,17mM NaH2PO4, 68mM NaCl, pH7.4). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 300mM imidazole.	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Storage of Reconstituted Protein	Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
Selected Validation Data	$74 \text{ KDa} \rightarrow 43 \text{ KDa} \rightarrow 28 \text{ KDa} \rightarrow -30 \text{ KDa}$	

 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.