## FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

## Recombinant human EIF1AY protein



Basic Information	Catalog Number:	Peptide Sequence:
	Ag1680	
	Size:	QVIKMLGNGRLEALCFDGVKRLCHIRGKLRKKVWINTS DIILVGLRDYQDNKADVILKYNADEARSLKAYGELPEH AKINETDTFGPGDDDEIQFDDIGDDDEDIDDI (1-144 aa encoded by BC005248)
	50 µ g	
	Form:	
	Available lyophilized	
	Species: human	
	Expression Source: e coli-derived, PGEX-4T, with N-terminal GST.	
	Biological Activity: Not tested	
	Endotoxin Level: Please contact the lab for more information	
Reconstitution	Reconstitution:	Shipping:
and Storage	Reconstitute at 0.25 $\mu$ g/ $\mu$ l in 200 $\mu$ l sterile water for short-	The product is shipped at ambient temperature.
	term storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability	Upon receipt, store it immediately at the recommended temperature (see below).
	and Storage for more details).	
	If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the	
	ion concentration of the final solution will vary according to	
	the volume used).	
	Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
	The sumified excession uses to excitize differences with DDC / FORMAND 2	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4, 17mM NaH2PO4, 68mM NaCl, pH8.). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH.	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Storage of	Short Term Storage:	
Reconstituted Protein	Store at 2-8°C for (1-2 weeks). Long Term Storage:	
	Aliquot and store at -20°C to -80°C for up to 3 months, buffer	
	containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
Selected Validation Data		
Selected Validation Data	74 40%	
	76 kBa→	
	43 kDa→42 kDa	
	43 kDa→ ←42 kDa	
	28 kDa→	

20 kDa

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.