## FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

# **MYL4 Fusion Protein**



#### Peptide Sequence:

MAPKKPEPKKEAAKPAPAPAPAPAPAPAPAPAPAPAPAPA AFDPKSVKIDFTADQIEEFKEAFSLFDRTPTGEMKITY GQCGDVLRALGQNPTNAEVLRVLGKPKPEEMNVKML DFETFLPILQHISRNKEQGTYEDFVEGLRVFDKESNGT VMGAELRHVLATLGEKMTEAEVEQLLAGQEDANGCI NYEAFVKHIMSG

(1-197 aa encoded by BC030228)

# Reconstitution and Storage

**Basic Information** 

Reconstitution:

powder.

Catalog Number: Ag19244

Available lyophilized

**Expression Source:** 

Biological Activity: Not tested Endotoxin Level:

Validated Application: Blocking peptide

Size:

50 µ g

Form:

Species:

human

Reconstitute at 0.25 µg/  $\mu$  l in 200  $\,\mu$  l sterile water for short-term storage.

e coli.-derived, PET28a, with N-terminal 6\*His.

Please contact the lab for more information

After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details).

If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used).

Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.

### Stability and Storage


## Storage of Reconstituted Protein

Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage:

Store for up to 12 months at -20°C to -80°C as lyophilized

Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.

# Selected Validation Data



For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

### Shipping:

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).