FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

C2orf3 Fusion Protein



Peptide Sequence:

MAHRPKRTFRQRAADSSDSDGAEESPAEPGAARELP VPGSAEEEPPSGGGRAQVAGLPHRVRGPRGRGRVW ASSRRATKAAPRADEGSESRTLDVSTDEEDKIHHSSES KDDQGLSSDSSSSLGEKELSSTVK (1-133 aa encoded by BC064559)

Reconstitution and Storage

Basic Information

After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability

and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.

Reconstitute at 0.25 μ g/ μ l in 200 μ l sterile water for short-

Stability and Storage Store for up to 12 months at -20°C to -80°C as lyophilized powder.

Short Term Storage: Store at 2-8°C for (1-2 weeks).

Long Term Storage:

Catalog Number: Ag23323

Available lyophilized

Expression Source:

Biological Activity: Not tested Endotoxin Level:

Validated Application: Blocking peptide

Reconstitution:

term storage.

e coli.-derived, PET28a, with N-terminal 6*His.

Please contact the lab for more information


Form:

Species:

human

Storage of Reconstituted Protein

Selected Validation Data



Aliquot and store at -20°C to -80°C for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Shipping:

The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).