## FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

## Recombinant human P21;CDKN1A protein

proteintech®
Antibodies   ELISA kits   Proteins
www.ptglab.com

Basic Information	Catalog Number: Ag26129	Peptide Sequence: GLPKLYLPTGPRRGRDELGGGRRPGTSPALLQGTAEEI	
	Size:	HVDLSLSCTLVPRSGEQAEGSPGGPGDSQGRKRRQ1 SMTDFYHSKRRLIFSKRKP	
	50 µg Form: Available lyophilized	(72-164 aa encoded by BC000275)	
	Species: human		
	Expression Source: e coliderived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested		
			Endotoxin Level: Please contact the lab for more information
	Reconstitution and Storage	<ul> <li>Reconstitution:</li> <li>Reconstitute at 0.25 µg/ µ l in 200 µ l sterile water for short-term storage.</li> <li>After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details).</li> <li>If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used).</li> <li>Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.</li> </ul>	Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.		
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4, 17mM NaH2PO4, 68mM NaCl, pH8.). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH.		
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.		
Storage of Reconstituted Protein	Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.		
Selected Validation Data	74 kBa→		

43 kDa-

28 kDa-

20 kDa

37 kDa