FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human RCN3 protein



| Basic Information | Catalog Number: | |
|-------------------------------------|---|--|
| | Ag26605 | LTPEESQARLGRIVDRMDRAGDGDGWVSLAELRAW AHTQQRHIRDSVSAAWDTYDTDRDGRVGWEELRNA |
| | Size: ATTOGOTICOSVSAAWDTDTOKE | |
| | Form: | (71-161 aa encoded by BC013436) |
| | Available lyophilized | |
| | Species: | |
| | human | |
| | Expression Source: <i>e coli-</i> derived, PET28a, with N-terminal 6*His. | |
| | Biological Activity: Not tested | |
| | Endotoxin Level: Please contact the lab for more information | |
| Reconstitution and Storage | Reconstitution: Reconstitute at 0.25 μg/ μl in 200 μl sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, | Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below). |
| Purity | gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. | |
| Formulation | The purified protein was Lyophilized from sterile PBS (58mM Na2H | HPO4, 17mM NaH2PO4, 68mM NaCl, pH7.4). 5 % |
| | trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 300mM imidazole. | |
| Stability and Storage | Store for up to 12 months at -20°C to -80°C as lyophilized powder. | |
| Storage of Reconstituted Protein | Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles. | |
| Selected Validation Data | 74 kDa→ 66 kDa→ 43 kDa→ | |

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.