SRPR Fusion Protein

proteintech®

Antibodies | ELISA kits | Proteins

www.ptglab.com

Basic Information

Catalog Number:
Ag2730

Size:
50 μg

Form:
Available lyophilized

Species:
human

Expression Source:
e coli.-derived, PGEX-4T, with N-terminal GST.

Biological Activity:
Not tested

Endotoxin Level:
Please contact the lab for more information

Validated Application:
Blocking peptide

Peptide Sequence:

QLQDLDCSSSDDEGAAQNSTKPSATKGTLGGMFGML
KGLVGSKSLSREDMESVLDKMRDHLIAKNVAADIAVQ
LCESVANKLEGKVMGTFSTVTSTVKQALQESLVQILQ
PQRRVDMLRDIMDAQRRQRPYVVTFCGVNGVGKST
NLAKISFWLLENGFSVLIAACDTFRAGAVEQLRTHTRR
LSALHPPEKHGGRTMVQLFEKGYGKDAAGIAMEAIAF
ARNQGFDVVLVDTAGRMQDNAPLMTALAKLITVNTP
DLVLFVGEALVGNEAVDQLVKFNRALADHSMAQTPR
LIDGIVLTKFDTIDDKVGAAISMTYITSKPIVFVGTGQT
YCDLRSLNAKAVVAALMKA

(289-639 aa encoded by BC013583)

Reconstitution and Storage

Reconstitution:
Reconstitute at 0.25 μg/μl in 200 μl sterile water for short-term storage.
After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details).
If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used).
Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.

Shipping:
The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).

Stability and Storage

Store for up to 12 months at -20℃ to -80℃ as lyophilized powder.

Storage of Reconstituted Protein

Short Term Storage:
Store at 2-8℃ for (1-2 weeks).
Long Term Storage:
Aliquot and store at -20℃ to -80℃ for up to 3 months, reconstitution with sterile water and addition of an equal volume of glycerol. Avoid repeat freeze-thaw cycles.

Selected Validation Data

74 kDa→
66 kDa→
←62 kDa
43 kDa→
28 kDa→
20 kDa→
14 kDa→