FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human CRBN protein



Basic Information	Ag29353 Size: 50 μg Form: Available lyophilized Species: human Expression Source: <i>e coli</i> derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information	MAGEGDQQDAAHNMGNHLPLLPAESEEEDEMEVED QDSKEAKKPNIINFDTSLPTSHTYLGADMEEFHGRTLH DDDSCQVIPVLPQVMMILIPGQTLPLQLFHPQEVSM VRNLIQKDRTFAVLAYSNVQEREAQFGTTAEIYAYRE EQDFGIEIVKVKAIGRQRFKVLELRTQSDGIQQAK (1-181 aa encoded by BC017419)
	50 μg Form: Available lyophilized Species: human Expression Source: e coliderived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution:	DDDSCQVIPVLPQVMMILIPGQTLPLQLFHPQEVSM VRNLIQKDRTFAVLAYSNVQEREAQFGTTAEIYAYRE EQDFGIEIVKVKAIGRQRFKVLELRTQSDGIQQAK
	Form: Available lyophilized Species: human Expression Source: <i>e coli</i> -derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution:	VRNLIQKDRTFAVLAYSNVQEREAQFGTTAEIYAYRE EQDFGIEIVKVKAIGRQRFKVLELRTQSDGIQQAK
	Available lyophilized Species: human Expression Source: <i>e coli</i> derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution:	
	Species: human Expression Source: <i>e coli</i> derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution:	(1-181 aa encoded by BC01/419)
	Expression Source: e coliderived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution:	
	e coli-derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution:	
	Not tested Endotoxin Level: Please contact the lab for more information Reconstitution:	
	Please contact the lab for more information Reconstitution:	
Reconstitution		Shipping:
and Storage	Reconstitute at 0.25 μ g/ μ l in 200 μ l sterile water for short- term storage.	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
	After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an	recommended temperature (see below).
	equal volume of glycerol for long-term storage (see Stability and Storage for more details).	
	If a different concentration is needed for your purposes please	
	adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to	
	the volume used).	
	Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full	
	recovery of the protein into solution.	
Purity	80%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2H	IPO4,17mM NaH2PO4, 68mM NaCl, pH8.). 5 %
ronnutation	trehalose and 5 % mannitol are added as protectant before lyophil	•
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Storage of	Short Term Storage: Store at 2-8°C for (1-2 weeks).	
Reconstituted Protein	Long Term Storage:	
	Aliquot and store at -20°C to -80°C for up to 3 months, buffer	
	containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
Selected Validation Data		
Selected Validation Data	$^{74}_{66}$ kBa \rightarrow	
	$43 \text{ kDa} \rightarrow 53 \text{ kDa}$	
	28 kDa→	

20 kE

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.