## FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

## Recombinant human FAM38A protein



Basic Information	Catalog Number: Ag29858 Form: Available lyophilized Species: human Expression Source: <i>e coli.</i> -derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested	Peptide Sequence: YEELSRQFDPQPLAMQFISQYSPEDIVTAQIEGSSGA LWRISPPSRAQMKRELYNGTADITLRFTWNFQRDLAK GGTVEYANEKHMLALAPNSTARRQLASLLEGTSDQSV VIPNLFPKYIRAPNGPEANPVKQLQPNEEADYLGVRIQ LRREQGAGATGFLEWWVIELQECRTDCNLLPMVIFSD K 108-294 aa of SwissProt: E7EUT2 (373aa isoform) or 2240-2426aa of SwissProt: Q92508 (2521aa isoform).
Reconstitution	Endotoxin Level: Please contact the lab for more information Reconstitution:	Shipping:
and Storage	Reconstitute at 0.25 µg/ µ l in 200 µ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
Purity	80%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2HPO 4, 17mM NaH2PO 4, 68mM NaCl, pH8.). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH.	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Storage of Reconstituted Protein	Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
Selected Validation Data	74 kDa→ 43 kDa→ 28 kDa→	

20 kDa-

14 kDa-