FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human WDR5 protein



9901 9901 9801 98 98 98 98 99 99 99 99 99 99	ATEEKKPETEAARAQPTPSSSATQSKPTPVKPNYALK FTLAGHTKAVSSV (2-51 aa encoded by BC001635) Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
s g h: ilable lyophilized ties: an ession Source: ki-derived, PGEX-4T, with N-terminal GST. ogical Activity: tested toxin Level: se contact the lab for more information enstitution: onstitute at 0.25 μg/ μ l in 200 μ l sterile water for short- i storage. r reconstitution with sterile water, if glycerol has no effect ubsequent experiments, it is recommended to add an al volume of glycerol for long-term storage (see Stability Storage for more details). different concentration is needed for your purposes please st the reconstitution volume as required (please note: the concentration of the final solution will vary according to	Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the
Ilable lyophilized cies: an ession Source: (<i>i.</i> -derived, PGEX-4T, with N-terminal GST. ogical Activity: tested botxin Level: se contact the lab for more information onstitution: onstitute at 0.25 μg/ μ l in 200 μ l sterile water for short- i storage. r reconstitution with sterile water, if glycerol has no effect ubsequent experiments, it is recommended to add an al volume of glycerol for long-term storage (see Stability Storage for more details). different concentration is needed for your purposes please st the reconstitution volume as required (please note: the concentration of the final solution will vary according to	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
an ression Source: <i>li</i> -derived, PGEX-4T, with N-terminal GST. ogical Activity: tested btoxin Level: se contact the lab for more information anstitution: mostitute at 0.25 µg/ µ l in 200 µ l sterile water for short- is torage. r reconstitution with sterile water, if glycerol has no effect ubsequent experiments, it is recommended to add an al volume of glycerol for long-term storage (see Stability Storage for more details). different concentration is needed for your purposes please st the reconstitution volume as required (please note: the concentration of the final solution will vary according to	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
 <i>ki</i>-derived, PGEX-4T, with N-terminal GST. bgical Activity: tested btoxin Level: se contact the lab for more information constitution: notitute at 0.25 μg/ μ l in 200 μ l sterile water for short-is torage. reconstitution with sterile water, if glycerol has no effect ubsequent experiments, it is recommended to add an al volume of glycerol for long-term storage (see Stability Storage for more details). different concentration is needed for your purposes please st the reconstitution volume as required (please note: the concentration of the final solution will vary according to 	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
tested btoxin Level: se contact the lab for more information enstitution: postitute at 0.25 μg/ μ l in 200 μ l sterile water for short- a storage. r reconstitution with sterile water, if glycerol has no effect ubsequent experiments, it is recommended to add an al volume of glycerol for long-term storage (see Stability Storage for more details). different concentration is needed for your purposes please st the reconstitution volume as required (please note: the concentration of the final solution will vary according to	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
se contact the lab for more information postitution: postitute at 0.25 µg/ µ l in 200 µ l sterile water for short- a storage. r reconstitution with sterile water, if glycerol has no effect ubsequent experiments, it is recommended to add an al volume of glycerol for long-term storage (see Stability Storage for more details). different concentration is needed for your purposes please st the reconstitution volume as required (please note: the concentration of the final solution will vary according to	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
nstitute at 0.25 µg/µl in 200µl sterile water for short- istorage. In reconstitution with sterile water, if glycerol has no effect ubsequent experiments, it is recommended to add an al volume of glycerol for long-term storage (see Stability Storage for more details). different concentration is needed for your purposes please st the reconstitution volume as required (please note: the concentration of the final solution will vary according to	The product is shipped at ambient temperature. Upon receipt, store it immediately at the
:: Centrifuge vial before opening. When reconstituting, ly pipet and wash down the sides of the vial to ensure full very of the protein into solution.	
, by SDS-PAGE with Coomassie Brilliant Blue staining.	
purified protein was Lyophilized from sterile PBS (58mM Na2 alose and 5 % mannitol are added as protectant before lyophi	
e for up to 12 months at -20°C to -80°C as lyophilized powder.	
e at 2-8°C for (1-2 weeks). g Term Storage: uot and store at -20°C to -80°C for up to 3 months, buffer aining 50% glycerol is recommended for reconstitution.	
$\begin{array}{c} 74 \text{ (Ba} \rightarrow \\ 66 \text{ (Ba} \rightarrow \\ 43 \text{ (Da} \rightarrow \end{array}) \end{array}$	
	rt Term Storage: re at 2-8°C for (1-2 weeks). g Term Storage: puot and store at -20°C to -80°C for up to 3 months, buffer taining 50% glycerol is recommended for reconstitution. id repeat freeze-thaw cycles. $7_{66}^{4} B_{a}^{a} \rightarrow 32 kDa$

 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.