FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human KCNJ10 protein



Catalog Number: Ag3182	Peptide Sequence: ETIRFSQHAVVASHNGKPCLMIRVANMRKSLLIGCQV
Size: TGKLLQTHQTKEGENIRLNQVNVTFQVDTASD	
50 µg	LPLTFYHVVDETSPLKDLPLRSGEGDFELVLILSGTVES TSATCQVRTSYLPEEILWGYEFTPAISLSASGKYIADF
Form: Available lyophilized	LFDQVVKVASPSGLRDSTVRYGDPEKLKLEESLREQA KEGSALSVRISNV
Species: human	(224-426 aa encoded by BC034036)
Expression Source: e coliderived, PGEX-4T, with N-terminal GST.	
Biological Activity: Not tested	
Endotoxin Level: Please contact the lab for more information	
Reconstitution: Reconstitute at 0.25 μ g/ μ l in 200 μ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an	Shipping: The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	
85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
The purified protein was Lyophilized from sterile PBS (58mM Na2ł trehalose and 5 % mannitol are added as protectant before lyophi	•
Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
74 kDa→ 43 kDa→ 43 kDa→	
	Ag3182 Size: So µ g Form: Available lyophilized Species: Juman Expression Source: a coli-derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Pease contact the lab for more information Constitute at 0.25 µg/ µ l in 200 µ l sterile water for shorts on subsequent experiments, it is recommended to add an organ volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the on subsequent experiments, it is recommended to add an egenty pipet and wash down the sides of the vial to ensure full concentration of the final solution will vary according to use volume used). Net: Centrifuge vial before opening. When reconstituting genty pipet and wash down the sides of the vial to ensure full concentration of the final solution will vary according to itevalous used). Net: Centrifuge vial before opening. When reconstitutings for a to zer for up to 12 months at -20°C to -80°C as lyophilized powder. Store for up to 12 months at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.

20 kI

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.