FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human YBX2 protein



Basic Information	Catalog Number:	Peptide Sequence:
	Ag4465	MSEVEAAAGATAVPAATVPATAAGVVAVVVPVPA
	Size:	GEPQKGGGAGGGGGAASGPAAGTPSAPGSRTPGNP
	50 µ g	
	Form:	GYGFINRNDTKEDVFVHQTAIKRNNPRKFLRSVGDGE TVEFDVVEGEKGAEATNVTGPGGVPVKGSRYAPNRR
	Available lyophilized	KSRRFIPRPPSVAPPPMVAEIPSAGTGPGSKGERAEDS
	Species:	GQRPRRWCPPPFFYRRRFVRGPRPPNQQQPIEGTDR
	human	VEPKETAPLEGHQQQGDERVPPPRFRPRYRRPFRPRP
		RQQPTTEGGDGETKPSQGPADGSRPEPQRPRNRPYF QRRRQQAPGPQQAPGPRQPAAPETSAPVNSGDPTT
	Biological Activity: Not tested	(1-364 aa encoded by BC033800)
	Endotoxin Level: Please contact the lab for more information	
Reconstitution	Reconstitution:	Shipping:
and Storage	Reconstitute at 0.25 μ g/ μ l in 200 μ l sterile water for short- term storage.	The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
	After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability	
	and Storage for more details).	
	If a different concentration is needed for your purposes please	
	adjust the reconstitution volume as required (please note: the	
	ion concentration of the final solution will vary according to the volume used).	
	Note: Centrifuge vial before opening. When reconstituting,	
	gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2 trehalose and 5 % mannitol are added as protectant before lyoph	•
	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Stability and Storage	Store for up to 12 months at -20 C to -60 C as tyopintized powder.	
Storage of	Short Term Storage:	
Reconstituted Protein	Store at 2-8°C for (1-2 weeks). Long Term Storage:	
	Aliquot and store at -20°C to -80°C for up to 3 months, buffer	
	containing 50% glycerol is recommended for reconstitution.	
	Avoid repeat freeze-thaw cycles.	
Selected Validation Data		
	$74 \text{ kDa} \rightarrow 66 \text{ kDa} \rightarrow 62 \text{ kDa}$	
	43 kDa→	
	28 J.D	
	28 kDa→	

20 kC

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.