## FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

## Recombinant human NEDD4L protein



Basic Information	Catalog Number:	Peptide Sequence:
	Ag4565	EESYRRIMSVKRPDVLKARLWIEFESEKGLDYGGVARE
	50 µ g DHLSYFTFIGRVAGLAVFHGKLLDGFFIRPFYKN   50 µ g QITLNDMESVDSEYYNSLKWILENDPTELDLMF   Form: NFGQTYQVDLKPNGSEIMVTNENKREYIDLVIC	WFFLLSKEMFNPYYGLFEYSATDNYTLQINPNSGLCNE
		NFGQTYQVDLKPNGSEIMVTNENKREYIDLVIQWRFV
		NRVQKQMNAFLEGFTELLPIDLIKIFDENELELLMCGLC
	Species:	DVDVNDWRQHSIYKNGYCPNHPVIQWFWKAVLLMD
	human	
	Expression Source:	WGSPEKLPRAHTCFNRLDLPPYETFEDLREKLLMAVEN AQGFEGVD
	<i>e coli.</i> -derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested	(565-911 aa encoded by BC032597)
	Reconstitution	Reconstitution:
and Storage	Reconstitute at 0.25 $\mu$ g/ $\mu$ l in 200 $\mu$ l sterile water for short-	The product is shipped at ambient temperature.
	term storage. After reconstitution with sterile water, if glycerol has no effect	Upon receipt, store it immediately at the recommended temperature (see below).
	on subsequent experiments, it is recommended to add an	recommended temperature (see secon).
	equal volume of glycerol for long-term storage (see Stability	
	and Storage for more details). If a different concentration is needed for your purposes please	
	adjust the reconstitution volume as required (please note: the	
	ion concentration of the final solution will vary according to	
	the volume used).	
	Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full	
	recovery of the protein into solution.	
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2I trehalose and 5 % mannitol are added as protectant before lyophi	•
	1.1	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Storage of	Short Term Storage:	
Reconstituted Protein	Store at 2-8°C for (1-2 weeks).	
Reconstituted Flotelli	Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer	
	containing 50% glycerol is recommended for reconstitution.	
	Avoid repeat freeze-thaw cycles.	
Selected Validation Data		
	74 kDa→ 66 kDa→ ←64 kDa	
	3 =	
	43 kDa→	
	28 kDa→	

20 kD

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.