FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human CNNM4 protein



Basic Information	Catalog Number:	Peptide Sequence:			
	Ag5121	DILYVKDLAFVDPDDCTPLKTITRFYNHPVHFVFHDTK LDAMLEFFKKGKSHLAIVQKVNNEGEGDPFYEVLGLV TLEDVIEEIIKSEILDESDMYTDNRSRKRVSEKNKRDFS AFKDADNELKVKISPQLLLAAHRFLATEVSQFSPSLISE			
	Form: Available lyophilized				
	Species:				
	human FILILQGKVEVEAGKENMKFETGAFSYYGTI Expression Source: DRSPAHPTPLSRSASLSYPDRTDVSTAATLA e coli-derived, PGEX-4T, with N-terminal GST. GSSVLGQYISDFSVRALVDLQYIKITRQQYGY	KILLRLLKYPDVIQELKFDEHNKYYARHYLYTRNKPADY FILILQGKVEVEAGKENMKFETGAFSYYGTMALTSVPS			
		DRSPAHPTPLSRSASLSYPDRTDVSTAATLAGSSNQF			
			Reconstitution	Reconstitution: Reconstitute at 0.25 µg/ µl in 200 µl sterile water for short-	Shipping:
			and Storage	term storage. After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details).	The product is shipped at ambient temperature. Upon receipt, store it immediately at the recommended temperature (see below).
If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting,					
gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.					
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.				
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2HPO4,17mM NaH2PO4, 68mM NaCl, pH8.). 5 % trehalose and 5 % mannitol are added as protectant before lyophilization. The elution buffer contain 100mM GSH.				
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.				
Storage of	Short Term Storage: Store at 2-8°C for (1-2 weeks).				
Reconstituted Protein	Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.				
Selected Validation Data					
	76 kDa 43 kDa→ ← 67 kDa				
	28 kDa→				

20 kD: