FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human MIPOL1 protein



Ag5340 Form: Available lyophilized Species: human Expression Source: <i>e coli</i> -derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/ µ l in 200 µ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect	MSRLQLAIEERDEAIARAKHMEMSLKVLENINPEEND MTLQELLNRINNADTGIAIQKNGAIIVDRIYKTKECKM RITAEEMSALIEERDAALSKCKRLEQELHHVKEQNQTS ANNMRHLTAENNQERALKAKLLSMQQARETAVQQY KKLEEEIQTLRVYYSLHKSLSQEENLKDQFNYTLSTVEE ALKNRENIVSITQQQNEELATQLQQALTERANMELQI QHAREASQVANEKVQKLERLVDVLRKKVGTGTMRTV I (1-261 aa encoded by BC035870) Shipping: The product is shipped at ambient temperature.
Species: human Expression Source: e coli-derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/µl in 200µl sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	ANNMRHLTAENNQERALKAKLLSMQQARETAVQQY KKLEEEIQTLRVYYSLHKSLSQEENLKDQFNYTLSTYEE ALKNRENIVSITQQQNEELATQLQQALTERANMELQI QHAREASQVANEKVQKLERLVDVLRKKVGTGTMRTV I (1-261 aa encoded by BC035870) Shipping: The product is shipped at ambient temperature.
human Expression Source: e coli-derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 μg/ μ l in 200 μ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect	KKLEEEIQTLRVYYSLHKSLSQEENLKDQFNYTLSTYEE ALKNRENIVSITQQQNEELATQLQQALTERANMELQI QHAREASQVANEKVQKLERLVDVLRKKVGTGTMRTV I (1-261 aa encoded by BC035870) Shipping: The product is shipped at ambient temperature.
e coli-derived, PGEX-4T, with N-terminal GST. Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 μg/ μ l in 200 μ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect	QHAREASQVANEKVQKLERLVDVLRKKVGTGTMRTV I (1-261 aa encoded by BC035870) Shipping: The product is shipped at ambient temperature.
Biological Activity: Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 μg/ μ l in 200 μ l sterile water for short-term storage. After reconstitution with sterile water, if glycerol has no effect	Shipping: The product is shipped at ambient temperature.
Not tested Endotoxin Level: Please contact the lab for more information Reconstitution: Reconstitute at 0.25 µg/ µ l in 200 µ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect	Shipping: The product is shipped at ambient temperature.
Please contact the lab for more information Reconstitution: Reconstitute at 0.25 μ g/ μ l in 200 μ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
Reconstitute at 0.25 µg/ μ l in 200 μ l sterile water for short- term storage. After reconstitution with sterile water, if glycerol has no effect	The product is shipped at ambient temperature.
term storage. After reconstitution with sterile water, if glycerol has no effect	
equal volume of glycerol for long-term storage (see Stability	Upon receipt, store it immediately at the recommended temperature (see below).
If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to	
the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution.	
85%, by SDS-PAGE with Coomassie Brilliant Blue staining.	
	•
Store for up to 12 months at -20°C to -80°C as lyophilized powder.	
Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.	
<	
$\begin{array}{c} 74 \text{ (Da} \rightarrow \rightarrow \\ 66 \text{ (NDa} \rightarrow \rightarrow \end{array} \end{array} \leftarrow 56 \text{ (NDa} \\ 43 \text{ (NDa} \rightarrow \rightarrow \end{array}$	
	on subsequent experiments, it is recommended to add an equal volume of glycerol for long-term storage (see Stability and Storage for more details). If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the ion concentration of the final solution will vary according to the volume used). Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full recovery of the protein into solution. 85%, by SDS-PAGE with Coomassie Brilliant Blue staining. The purified protein was Lyophilized from sterile PBS (58mM Na 24 trehalose and 5 % mannitol are added as protectant before lyophilized powder. Short Term Storage: Store at 2-8°C for (1-2 weeks). Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer containing 50% glycerol is recommended for reconstitution. Avoid repeat freeze-thaw cycles.

20 kE

 For technical support and original validation data for this product please contact:

 T: 4006900926
 E: Proteintech-CN@ptglab.com
 W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.