FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human SCGN protein



Basic Information	Catalog Number:	Peptide Sequence:	
basic momation	Ag6736	MDSSREPTLGRLDAAGFWQVWQRFDADEKGYIEEKE LDAFFLHMLMKLGTDDTVMKANLHKVKQQFMTTQD ASKDGRIRMKELAGMFLSEDENFLLLFRRENPLDSSVE FMQIWRKYDADSSGFISAAELRNFLRDLFLHHKKAISE AKLEEYTGTMMKIFDRNKDGRLDLNDLARILALQENFL	
	Size:		
	50 µ g		
	Form:		
	Available lyophilized LQFKMDACSTEERKRDFEKIFAYYDVSKTGAL	LQFKMDACSTEERKRDFEKIFAYYDVSKTGALEGPEV	
		DGFVKDMMELVQPSISGVDLDKFREILLRHCDVNKDG	
		-	
		(1-276 aa encoded by BC000336)	
	Biological Activity: Not tested		
	Endotoxin Level: Please contact the lab for more information		
Reconstitution and Storage	Reconstitution:	Shipping:	
	Reconstitute at 0.25 μ g/ μ l in 200 μ l sterile water for short- term storage.	The product is shipped at ambient temperature. Upon receipt, store it immediately at the	
	After reconstitution with sterile water, if glycerol has no effect on subsequent experiments, it is recommended to add an	recommended temperature (see below).	
	equal volume of glycerol for long-term storage (see Stability		
	and Storage for more details). If a different concentration is needed for your purposes please		
	adjust the reconstitution volume as required (please note: the		
	ion concentration of the final solution will vary according to		
	the volume used).		
	Note: Centrifuge vial before opening. When reconstituting, gently pipet and wash down the sides of the vial to ensure full		
	recovery of the protein into solution.		
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.		
	The surficed system use I use bilized from starile DBC / FORMAND		
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2 trehalose and 5 % mannitol are added as protectant before lyoph	•	
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.		
Storage of	Short Term Storage:		
Reconstituted Protein	Store at 2-8°C for (1-2 weeks).		
	Long Term Storage: Aliquot and store at -20°C to -80°C for up to 3 months, buffer		
	containing 50% glycerol is recommended for reconstitution.		
	Avoid repeat freeze-thaw cycles.		
Selected Validation Data	_		
	74 kBa→		
	00 KD/a→ ←55 KDa		
	43 kDa→		
	$28 \text{ kDa} \rightarrow$		

20 kDa

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.