FOR IN VITRO RESEARCH USE ONLY. NOT FOR USE IN HUMANS OR ANIMALS.

Recombinant human GSS protein



Basic Information	Catalog Number:	Peptide Sequence:			
	Ag8354	RSDYMFQRSADGSPALKQIEINTISASFGGLASRTPAV			
	Size:	HRHVLSVLSKTKEAGKILSNNPSKGLALGIAKAWELYG SPNALVLLIAQEKERNIFDQRAIENELLARNIHVIRRTF EDISEKGSLDQDRRLFVDGQEIAVVYFRDGYMPRQYS LQNWEARLLLERSHAAKCPDIATQLAGTKKVQQELSR			
	50 µg				
	Form:				
	Species: AIAEALAAPSRFVLKPQREGGGNNLYGEEN human KDSEERASYILMEKIEPEPFENCLLRPGSPAI	PGMLEMLLPGQPEAVARLRATFAGLYSLDVGEEGDQ			
		lgifgvyvrqektlvmnkhvghllrtkaiehadggva Agvavldnpypv			
			Please contact the lab for more information		
			Reconstitution	Reconstitution:	Shipping:
			and Storage	Reconstitute at 0.25 µg/ μ l in 200 μ l sterile water for short-	The product is shipped at ambient temperature.
	and Storage	term storage. After reconstitution with sterile water, if glycerol has no effect	Upon receipt, store it immediately at the		
on subsequent experiments, it is recommended to add an		recommended temperature (see below).			
equal volume of glycerol for long-term storage (see Stability					
and Storage for more details).					
If a different concentration is needed for your purposes please adjust the reconstitution volume as required (please note: the					
ion concentration of the final solution will vary according to					
the volume used).					
Note: Centrifuge vial before opening. When reconstituting,					
gently pipet and wash down the sides of the vial to ensure full					
	recovery of the protein into solution.				
Purity	85%, by SDS-PAGE with Coomassie Brilliant Blue staining.				
Formulation	The purified protein was Lyophilized from sterile PBS (58mM Na2 trehalose and 5 % mannitol are added as protectant before lyoph	•			
	imidazole.				
Stability and Storage	Store for up to 12 months at -20°C to -80°C as lyophilized powder.				
Storage of	Short Term Storage:				
Storage of	Store at 2-8°C for (1-2 weeks).				
Reconstituted Protein	Long Term Storage:				
	Aliquot and store at -20°C to -80°C for up to 3 months, buffer				
	containing 50% glycerol is recommended for reconstitution.				
	Avoid repeat freeze-thaw cycles.				
Selected Validation Data					
	$\begin{array}{c} 74 \text{ kDa}_{a \rightarrow} \\ 66 \text{ kDa}_{a \rightarrow} \end{array}$				
	66 kDa→				
	43 kDa→				
	÷				
	28 kDa→				

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.