## For Research Use Only


## Biotin-conjugated t-Plasminogen activator/tPA Polyclonal antibody Catalog Number:Biotin-10147 Featured Product



Basic Information	Catalog Number: Biotin-10147	GenBank Accession Number: BC002795	Purification Method: Antigen affinity purification
	Size: 1000 ug/ml	GeneID (NCBI): 5327	Recommended Dilutions: IHC 1:50-1:500
	Source: Rabbit	UNIPROT ID: P00750	
	lsotype: IgG	Full Name: plasminogen activator, tissue Calculated MW: 57 kDa	
	Immunogen Catalog Number: AG0200		
		Observed MW: 32-35 kDa, 65 kDa	
Applications	Tested Applications: IHC	Positive Controls:	
	IHC I mouse brain tissue, human Species Specificity: human, mouse, rat		se brain tissue, human kidney tissue
	Note-IHC: suggested antige TE buffer pH 9.0; (*) Alterno retrieval may be performed buffer pH 6.0	atively, antigen	
Background Information	Plasminogen activator, tissue (PLAT, synonyms: TPA, T-PA) is a tissue-type plasminogen activator, a secreted serine protease which converts the proenzyme plasminogen to plasmin, a fibrinolytic enzyme. Tissue-type plasminogen activator is synthesized as a single chain which is cleaved by plasmin to a two chain disulfide linked protein (33 kDa and 32 kDa). PLAT enzyme plays a role in cell migration and tissue remodeling. Increased enzymatic activity causes hyperfibrinolysis, which manifests as excessive bleeding; decreased activity leads to hypofibrinolysis which can result in thrombosis or embolism. tPA has 4 isoforms produced by alternative splicing with the MW of 63 kDa, 32 kDa, 57 kDa and 44 kDa.		
Storage	Storage: Store at -20°C. Avoid exposure to l Storage Buffer: PBS with 50% Glycerol, 0.05% Pro Aliquoting is unnecessary for -20°		ent.

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using Biotin-10147 (tPA antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Immunohistochemical analysis of paraffinembedded mouse brain tissue slide using Biotin-10147 (tPA antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).