For Research Use Only

## Biotin Anti-Human CD28 Rabbit Recombinant Antibody

Catalog Number:Biotin-98032



**Basic Information** 

Catalog Number: GenBank Accession Number:

Biotin-98032 BC093698

Concentration: Genel D (NCBI):

100ug, 500 ug/ml 940

Source: ENSEMBL Gene ID: Rabbit ENSG00000178562

Isotype: UNIPROT ID:
IgG P10747

Immunogen Catalog Number: Full Name:
EG0889 CD28 molecule

Calculated MW: 220 aa, 25 kDa Purification Method:

Protein A purification CloneNo.:

240354D2

Recommended Dilutions:

FC: 0.25 ug per 10^6 cells in 100  $\,\mu$  l

suspension

**Applications** 

**Tested Applications:** 

FC, ELISA

Species Specificity:

human, monkey, non-human primates

**Positive Controls:** 

FC: human PBMCs,

## **Background Information**

CD28 (T-cell-specific surface glycoprotein CD28), also known as T44 and Tp44, is a 44 kD disulfide-linked homodimeric type I glycoprotein (PMID: 2162180). It is a member of the immunoglobulin superfamily and is expressed on most T lineage cells, NK cell subsets, and plasma cells (PMID: 2162180, 8386518). CD28 may affect in vivo immune responses by functioning both as a cell adhesion molecule linking B and T lymphocytes and as the surface component of a novel signal transduction pathway (PMID: 2162180, 3021470). CD28 binds both CD80 and CD86 with a highly conserved motif MYPPY in the CDR3-like loop (PMID: 15696168, 7964482). CD28 is considered a major co-stimulatory molecule, inducing T lymphocyte activation and IL-2 synthesis, and preventing cell death (PMID: 1348520).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

## Selected Validation Data



1x10^6 human PBMCs were surface stained with 0.25 ug Biotin Anti-Human CD28 Rabbit Recombinant Antibody (Biotin-98032, Clone: 240354D2) and Coralite® 488-conjugated streptavidin, or unstained. Cells were then stained with Coralite® Plus 647 Anti-Human CD3. Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 0.25 ug Biotin Anti-Human CD28 Rabbit Recombinant Antibody (Biotin-98032, Clone:240354D2) and CoraLite® 488-conjugated streptavidin (red), or unstained (blue). Cells were not fixed. Lymphocytes were gated.