For Research Use Only

FcZero-rAb™ Biotin Anti-Human CD16 (3G8) Rabbit IgG Recombinant Antibody

Catalog Number:Biotin-FcA65612



Purification Method:

Protein A purification

Basic Information

Catalog Number: GenBank Accession Number: Biotin-FcA65612 BC017865

Concentration:GeneID (NCBI):CloneNo.:100ug, 500 ug/ml22143G8

Source: ENSEMBL Gene ID: Recommended Dilutions:

Rabbit ENSG00000203747 FC: 0.25 ug per 10^6 cells in a 100 µl

Isotype: Full Name: suspension

IgG Fc fragment of IgG, low affinity IIIa, Excitation/Emission maxima

receptor (CD16a) wavelengths:
Calculated MW:

254 aa, 29 kDa

Applications

Tested Applications:

Species Specificity:

human

Positive Controls:

FC: human peripheral blood leukocytes,

Background Information

CD16 is a 50-70-kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil polymorphonuclear leukocytes, monocytes and macrophages. CD16 mediates antibody-dependent cellular cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD16 has been identified as Fc receptors Fc γ RIIIa (CD16a) and Fc γ RIIIb (CD16b), encoded by two nearly identical genes, FCGR3A and the FCGR3B. Clone 3G8 recognizes both the CD16a and CD16b (PMID: 7592758).


Storage


Storage

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data





1x10^6 human peripheral blood leukocytes were surface stained with 0.25 ug Biotin Anti-Human CD16 (3G8) Rabbit IgG RecAb (Biotin-FcA65612, Clone: 3G8) or FcZero-rAb™ Biotin Rabbit IgG Isotype Control Recombinant Antibody (Biotin-FcA98136, Clone: 240953C9), and PE-conjugated streptavidin. Cells were not fixed.