For Research Use Only

FcZero-rAb™ Biotin Anti-Mouse CD3e (145-2C11) Rabbit IgG Recombinant Antibody



Catalog Number: Biotin-FcA65651

Basic Information

Catalog Number: Biotin-FcA65651

Concentration: 100ug, 500 ug/ml

Source: Rabbit

Isotype:

GenBank Accession Number:

BC098236 GeneID (NCBI): 12501

Full Name:

CD3 antigen, epsilon polypeptide

145-2C11 Recommended Dilutions:

Purification Method:

Protein A purification

FC: 0.25 ug per 10^6 cells in a 100 μ l

suspension

CloneNo.:

Excitation/Emission maxima

wavelengths:

Applications

Tested Applications:

Species Specificity:

mouse

Positive Controls:

FC: mouse splenocytes,

Background Information

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCRmediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).


Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1x10^6 mouse splenocytes were surface stained with 0.25 ug Biotin Anti-Mouse CD3e (145-2C11) Rabbit IgG RecAb (Biotin-FcA65651, Clone: 145-2C11) or FcZero-rAb™ Biotin Rabbit IgG Isotype Control Recombinant Antibody (Biotin-FcA98136, Clone: 240953C9), and PE-conjugated streptavidin. Cells were then stained with FcZero-rAb™ APC Anti-Mouse CD4 (RM4-4). Cells were not fixed.