

For Research Use Only

FcZero-rAb® Biotin Anti-Human ICAM-2/CD102 Rabbit Recombinant Antibody

Catalog Number: Biotin-FcA98367



Basic Information

Catalog Number:

Biotin-FcA98367

Concentration:

100ug, 500 ug/ml

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

EG2002

GenBank Accession Number:

NM_001099789.2

GeneID (NCBI):

3384

UNIPROT ID:

P13598

Full Name:

intercellular adhesion molecule 2

Calculated MW:

31kDa

Purification Method:

Protein A purification

CloneNo.:

242237F8

Recommended Dilutions:

FC: 0.25 ug per 10⁶ cells in a 100 µl suspension

Applications

Tested Applications:

FC

Species Specificity:

human

Positive Controls:

FC : human PBMCs,

Background Information

ICAM2 is a cell adhesion protein having important roles in cell migration, especially during inflammation when leukocytes cross the endothelium. Initially described as a receptor for lymphocyte function-associated antigen-1 (LFA1), ICAM2 may play a role in lymphocyte recirculation by blocking LFA-1-dependent cell adhesion. It mediates adhesive interactions important for antigen-specific immune response, NK-cell mediated clearance, lymphocyte recirculation, and other cellular interactions important for immune response and surveillance.

Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10⁶ human PBMCs were surface stained with 0.25 ug Biotin Anti-Human ICAM-2/CD102 Rabbit RecAb (Biotin-FcA98367, Clone: 242237F8) or Isotype Control, and Streptavidin-PE Conjugate (PE-PF00030). Cells were co-stained with CoraLite® Plus 647 Anti-Human CD45 (HI30) (CL647-65109, Clone: HI30). Cells were not fixed.



1x10⁶ human PBMCs were surface stained with 0.25 ug Biotin Anti-Human ICAM-2/CD102 Rabbit RecAb (Biotin-FcA98367, Clone: 242237F8) (red) or Isotype Control (blue), and Streptavidin-PE Conjugate (PE-PF00030). Cells were not fixed.