For Research Use Only

## CoraLite® Plus 488-conjugated APEX1 Polyclonal antibody



**Purification Method:** 

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-10203

Featured Product

**Basic Information** 

Catalog Number: CL488-10203 Concentration: 1000 ug/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG0251

**Tested Applications:** IF/ICC, FC (Intra)

Species Specificity: human, mouse, rat

GenBank Accession Number:

BC002338 GeneID (NCBI):

**UNIPROT ID:** P27695 Full Name:

APEX nuclease (multifunctional DNA repair enzyme) 1

Calculated MW: 36 kDa Observed MW: 36 kDa

Positive Controls:

IF/ICC: MCF-7 cells,

## **Background Information**

**Applications** 

APEX1, also named as APE, APE1, HAP1 and REF-1, belongs to the DNA repair enzymes AP/ExoA family. It is a multifunctional protein that plays a central role in the cellular response to oxidative stress. The two major activities of APEX1 are in DNA repair and redox regulation of transcriptional factors. APEX nuclease is a DNA repair enzyme having apurinic/apyrimidinic (AP) endonuclease, 3-prime,5-prime-exonuclease, DNA 3-prime repair diesterase, and DNA 3-prime-phosphatase activities. On the other hand, APEX1 also exerts reversible nuclear redox activity to regulate DNA binding affinity and transcriptional activity of transcriptional factors by controlling the redox status of their DNA-binding domain, such as the FOS/JUN AP-1 complex after exposure to IR. APEX1 is involved in calciumdependent down-regulation of parathyroid hormone (PTH) expression by binding to negative calcium response elements (nCaREs). When acetylated at Lys-6 and Lys-7, APEX1 stimulates the YBX1-mediated MDR1 promoter activity, leading to drug resistance. It also acts as an endoribonuclease involved in the control of single-stranded RNA metabolism. It plays a role in regulating MYC mRNA turnover by preferentially cleaving in between UA and CA dinucleotides of the MYC coding region determinant (CRD). In association with NMD1, APEX1 plays a role in the rRNA quality control process during cell cycle progression. 10203-1-AP is a rabbit polyclonal antibody raised against full length APE1 of human origin.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**



Immunofluorescent analysis of (4% PFA) fixed MCF-7 cells using Coralite® Plus 488 APEX1 antibody (CL488-10203) at dilution of 1:200, CL594-phalloidin (red).



1x10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 488-conjugated APEX1 Polyclonal antibody (CL488-10203)(red), or 0.4 ug CoraLite® Plus 488 Rabbit IgG Isotype Control RecAb (CL488-98136, Clone: 240953C9) (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).