For Research Use Only

CoraLite® Plus 488-conjugated HGS Polyclonal antibody



Catalog Number: CL488-10390

Featured Product

Basic Information

Catalog Number: CL488-10390

1000 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG0589

GeneID (NCBI):

UNIPROT ID: 014964 Full Name:

BC003565

hepatocyte growth factor-regulated tvrosine kinase substrate

GenBank Accession Number:

Calculated MW: 86 kDa Observed MW: 110 kDa

Purification Method:

Antigen affinity purification Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima wavelengths: 493 nm / 522 nm

Applications

Tested Applications:

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC : HeLa cells,

Background Information

Hepatocyte growth factor-regulated tyrosine kinase substrate (HGS, synonyms: HRS, ZFYVE8) is a 110 to 115-kDa zinc finger phosphotyrosine protein inducible by stimulation with interleukin 2 (IL-2), granulocyte-macrophage $colony-stimulating\ factor\ (GM-CSF)\ as\ well\ as\ hepatocyte\ growth\ factor\ (HGF),\ and\ is\ associated\ with\ signal-colony-stimulating\ factor\ (GM-CSF)\ as\ well\ as\ hepatocyte\ growth\ factor\ (HGF),\ and\ is\ associated\ with\ signal-colony-stimulating\ factor\ (HGF)\ and\ is\ associated\ with\ signal-colony-stimulating\ signal-colony$ transducing adaptor molecule (STAM). HGS suppresses DNA synthesis upon stimulation with IL-2 and GM-CSF, counteracting the function of STAM which is critical for cell growth signaling mediated by the cytokines. HGS also $interacts\ with\ the\ neurofibromatos is\ 2\ tumor\ suppressor\ protein\ schwannomin/merlin.\ The\ growth\ suppression$ activity of schwannomin/merlin requires HGS and the binding of schwannomin/merlin to HGS facilitates its ability to function as a tumor suppressor, probably by inhibiting STAT activation.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HeLa cells using CoraLite® Plus 488 HGS antibody (CL488-10390) at dilution of 1:200.