For Research Use Only

CoraLite® Plus 488-conjugated Chromogranin A Polyclonal antibody



Catalog Number: CL488-10529 1 Publications

Basic Information

Catalog Number: CL488-10529

Concentration: 1000 μg/ml

Rabbit Isotype:

Source:

Immunogen Catalog Number:

AG0807

GenBank Accession Number:

BC006459 GeneID (NCBI):

1113 **UNIPROT ID:** P10645

51 kDa

Full Name: chromogranin A (parathyroid

secretory protein 1) Calculated MW:

Purification Method:

Antigen affinity purification Recommended Dilutions:

IF-P 1:50-1:500 IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Tested Applications: IF/ICC, IF-P, FC (Intra)

Cited Applications:

Species Specificity: human, mouse, rat **Cited Species:** mouse

Positive Controls:

IF-P: mouse pancreas tissue, IF/ICC: Neuro-2a cells,

Background Information

Chromogranin A is a member of the granin family of neuroendocrine secretory proteins. It is located in secretory vesicles of neurons and endocrine cells. Chromogranin A is the precursor to several functional peptides including vasostatin, pancreastatin, catestatin and parastatin. These peptides negatively modulate the neuroendocrine function of the releasing cell (autocrine) or nearby cells (paracrine). CgA is one of the most used tumor markers in NET's (neuroendocrine tumors), and elevated CgA concentrations have been demonstrated in serum or plasma of patients with different types of these tumors.

Notable Publications

Author	Pubmed ID	Journal	Application
Paige N Spencer	39803424	bioRxiv	IF


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed mouse pancreas tissue using CoraLite® Plus 488 Chromogranin A antibody (CL488-10529) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed mouse pancreas tissue using CoraLite® Plus 488 Chromogranin A antibody (CL488-10529) at dilution of 1:200.



1X10^6 Neuro-2a cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human Chromogranin A (CL488-10529) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (-20°C Ethanol) fixed Neuro-2a cells using Coralite® Plus 488 Chromogranin A antibody (CL488-10529) at dilution of 1:200.