
For Research Use Only

CoraLite® Plus 488-conjugated c-MYC Polyclonal antibody



Featured Product

Basic Information

CL488-10828 Size: 1000 µ g/ml Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG1263

Catalog Number:

GenBank Accession Number: BC000141 GeneID (NCBI): 4609 UNIPROT ID: P01106 Full Name: v-myc myelocytomatosis viral oncogene homolog (avian) Calculated MW: 49 kDa

Observed MW: 62-65 kDa, 50 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: IF/ICC 1:300-1:1200

Excitation/Emission maxima wavelengths: 493 nm / 522 nm

Applications

Tested Applications: IF/ICC, FC (Intra) Species Specificity: human, mouse

Positive Controls:

IF/ICC : HEK-293 cells,

Background Information

MYC contains one basic helix-loop-helix (bHLH) domain. This protein is a multifunctional, nuclear phosphoprotein that plays a role in cell cycle progression, apoptosis and cellular transformation. It functions as a transcription factor that regulates transcription of specific target genes. It seems to activate the transcription of growth-related genes. It binds DNA in a non-specific manner, yet also specifically recognizes the core sequence 5'-CAC[GA]TG-3'. Mutations, overexpression, rearrangement and translocation of this gene have been associated with a variety of hematopoietic tumors, leukemias and lymphomas, including Burkitt lymphoma. This antibody is a rabbit polyclonal antibody raised against recombinant protein of human MYC.The 50KDa band recognized by antibody is the native form of MYC, while the other bands, between 60-70kDa, are the phosphorylated form of MYC [PMID: 12189186]

Storage

Storage:


Store at -20°C. Avoid exposure to light. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com


This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.



Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HEK-293 cells using CoraLite® Plus 488 c-MYC antibody (CL488-10828) at dilution of 1:600.



1X10[^]6 HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human c-MYC (CL488-10828) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).