For Research Use Only

CoraLite® Plus 488-conjugated PDI Polyclonal antibody


Catalog Number:CL488-11245 Featured Product




Basic Information	Catalog Number: CL488-11245	GenBank Accession Number: BC014504	Purification Method: Antigen affinity purification				
	Size: 1000 ug/ml	GenelD (NCBI): 5034	Recommended Dilutions: IF/ICC 1:50-1:500				
	Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG1747	UNIPROT ID: P07237 Full Name: prolyl 4-hydroxylase, beta polypeptide Calculated MW: 57 kDa Observed MW: 57 kDa	Excitation/Emission maxima wavelengths: 493 nm / 522 nm				
				Applications	Tested Applications:	Positive Controls:	
					IF/ICC : HepG2 cells, Species Specificity: human, mouse, rat		
				Background Information	PDIA1(Protein disulfide-isomerase) is also named as ERBA2L, PDI, P4HB, PO4DB. It is a multifunctional protein that catalyzes the formation, breakage and rearrangement of disulfide bonds. In some cell types, it seems to be secreted or associated with the plasma membrane, where it undergoes constant shedding and replacement from intracellular sources. It can exsit as homodimer and monomers and homotetramers may also occur(PMID:12095988).		
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliguoting is unnecessary for -20°C storage						

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CoraLite® Plus 488 PDI antibody (CL488-11245) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using Coralite® Plus 488 PDI antibody (CL488-11245) at dilution of 1:200, CL594phalloidin (red).