For Research Use Only

CoraLite® Plus 488-conjugated NSD3 Polyclonal antibody



Catalog Number: CL488-11345

Featured Product

Basic Information

Catalog Number: CL488-11345 1000 µg/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG1894

Tested Applications:

Species Specificity: human, rat

FC (Intra)

GenBank Accession Number:

BC012059 GeneID (NCBI): 54904 **UNIPROT ID:** Q9BZ95

Full Name: Wolf-Hirschhorn syndrome candidate

1-like 1

Calculated MW: 1437 aa, 162 kDa Observed MW:

160-170 kDa, 68-72 kDa

wavelengths: 493 nm / 522 nm

Purification Method:

Antigen affinity purification

Excitation/Emission maxima

Applications

Background Information

WHSC1L1, also named as NSD3 and DC28, belongs to the histone-lysine methyltransferase family and SET2 subfamily. It is histone methyl transferase. WHSC 1L1 is a potently transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming oncogenes based on the number of the following transforming transforminaltered phenotypes expressed by the cells. It contains a PWWP-domain that is a methyl-lysine recognition motif involved in histone code modification and epigenetic regulation of gene expression. Knockdown of WHSC 1L1 in 8p11-12-amplified breast cancer cells resulted in profound loss of growth and survival of these cells. (PMID: 20940404). This antibody recognize the long isoform (160-170 kDa) and short isoform (68-72 kDa).

Storage


Storage:

Store at -20°C. Avoid exposure to light.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.4 ug Coralite® Plus 488 Anti-Human NSD3 (CL488-11345) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).