For Research Use Only

CoraLite® Plus 488-conjugated PARK7/DJ-1 Polyclonal antibody



Purification Method:

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-11681

Featured Product

Basic Information

Catalog Number: CL488-11681

Size: 1000 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG2287

Tested Applications: IF/ICC

Species Specificity: human, mouse, rat

GenBank Accession Number:

BC008188 GeneID (NCBI): 11315 UNIPROT ID: Q99497 Full Name:

Parkinson disease (autosomal recessive, early onset) 7

Calculated MW: 189 aa, 20 kDa Observed MW: 20 kDa, 25 kDa

Positive Controls:

IF/ICC: SH-SY5Y cells,

Background Information

PARK7, also named as DJ1, belongs to the peptidase C56 family. It protects cells against oxidative stress and cell death. PARK7 plays a role in regulating expression or stability of the mitochondrial uncoupling proteins SLC25A14 and SLC25A27 in dopaminergic neurons of the substantia nigra pars compacta and attenuates the oxidative stress induced by calcium entry into the neurons via L-type channels during pacemaking. It eliminates hydrogen peroxide and protects cells against hydrogen peroxide-induced cell death. PARK7 has cell-growth promoting activity and transforming activity. It may function as a redox-sensitive chaperone. It's precursor undergoes a cleavage of a C-terminal peptide and subsequent activation of protease activity in response to oxidative stress. The amino acid replace at 166 (L — P) reduces PARK7 protein stability and leads to increased degradation. The predicted MW of this protein is 20 kDa, An additional 25 kDa band can be observed due to modification (PMID: 31767755).

Storage

Applications

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed SH-SY5Y cells using CoraLite® Plus 488 PARK7/DJ-1 antibody (CL488-11681) at dilution of 1:200.