For Research Use Only

## CoraLite® Plus 488-conjugated TFEB Polyclonal antibody



Catalog Number: CL488-13372

Featured Product

**Basic Information** 

Catalog Number:

CL488-13372

Size: 1000 ug/ml

Source: Rabbit Isotype:

AG4194

Calculated MW: Immunogen Catalog Number: 476 aa, 53 kDa Observed MW:

65-70 kDa

BC032448

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

transcription factor EB

P19484

GenBank Accession Number:

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

**Applications** 

**Tested Applications:** 

IF/ICC

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: HepG2 cells,

## **Background Information**

Transcription factor EB(TFEB) is one of the transcription factors that contain a basic HLH-ZIP domain(for DNA binding ) and HLH and ZIP domains( for loigomerization). TFEB specifically recognizes and binds to E-box sequences, which required dimerization with itself or another MiT/TFE family member. It plays a role in T-cell-dependent antibody responses to activated CD4+ T-cells and thymus-dependent humoral immunity once associated with TFE3. It also activates lysosomal gene by binding the CLEAR-box sequence in the regulatory region. It involves in the signal transduction processes required for normal vascularization of the placenta. This is a rabbit polyclonal antibody raised against the full length of human TFEB. The calcualted molecular weight of TFEB is 53 kDa, but modified TFEB is about 65-70 kDa (PMID: 12837690). TFEB mainly present in the cytoplasm (PubMed:23434374). Under aberrant lysosomal storage conditions, it translocates from the cytoplasm to the nucleus (PubMed:23434374). Fisetin increases the levels of TFEB localized in nuclei (PMID: 27112200).


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CoraLite® Plus 488 TFEB antibody (CL488-13372) at dilution of 1:200.