For Research Use Only

## CoraLite® Plus 488-conjugated MICAL2 Polyclonal antibody



**Purification Method:** 

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-13965

**Featured Product** 

**Basic Information** 

Catalog Number: CL488-13965

1000 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

AG4950

IF/ICC

GenBank Accession Number:

BC044577
GeneID (NCBI):
9645
UNIPROT ID:
094851
Full Name:
microtubule associated

monoxygenase, calponin and LIM domain containing 2

Calculated MW: 127 kDa Observed MW:

95 kDa, 112 kDa

Species Specificity: human, mouse, rat

**Tested Applications:** 

Positive Controls: IF/ICC : HepG2 cells,

## **Background Information**

MICALs (Molecules Interacting with CasL) are atypical multidomain flavoenzymes with diverse cellular functions. There are three known isoforms, MICAL1, MICAL2 and MICAL3, as well as the MICAL-like proteins MICAL-L1 and MICAL-L2. MICAL2 has three conserved domains: an N-terminal flavin adenine dinucleotide (FAD) binding domain, a calponin homology (CH) domain and a Lin11, Isl-1 and Mec-3 (LIM) domain. It has been demonstrated that MICAL2 could regulate actin stress fibers and is required for normal actin organization. In addition, MICAL2-PV, a novel splicing variants of MICAL2, has been reported to be involved in cancer progression of prostate cancer. This antibody can recognize both MICAL2 and MICAL2-PV. This antibody recognizes various isoforms of MICAL2 around 90-95 kDa or 109-112 kDa.

Storage

**Applications** 

Storage

Store at -20°C. Avoid exposure to light.

Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed HepG2 cells using Coralite® Plus 488 MICAL2 antibody (CL488-13965) at dilution of 1:200.