

For Research Use Only

CoraLite® Plus 488-conjugated LC3 Polyclonal antibody



Catalog Number: CL488-14600

Basic Information

Catalog Number: CL488-14600	GenBank Accession Number: BC067797	Purification Method: Antigen affinity purification
Size: 1000 µg/ml	GeneID (NCBI): 81631	Recommended Dilutions: IF 1:50-1:500
Source: Rabbit	ENSEMBL Gene ID: ENSG00000140941	Excitation/Emission maxima wavelengths: 493 nm / 522 nm
Isotype: IgG	UNIPROT ID: Q9GZQ8	
Immunogen Catalog Number: AG6144	Full Name: microtubule-associated protein 1 light chain 3 beta	
	Calculated MW: 15 kDa	

Applications

Tested Applications: FC (Intra), IF/ICC	Positive Controls: IF : Chloroquine treated HepG2 cells,
Species Specificity: human, mouse, rat	

Background Information

Map1LC3, also known as LC3, is the human homolog of yeast Atg8 and is involved in the formation of autophagosomal vacuoles, called autophagosomes. Three human Map1LC3 isoforms, MAP1LC3A, MAP1LC3B, and MAP1LC3C, undergo post-translational modifications during autophagy. And they differ in their post-translation modifications during autophagy. Map1LC3 also exists in two modified forms, an 18 kDa cytoplasmic form that was originally identified as a subunit of the microtubule-associated protein 1, and a 14-16 kDa form that is associated with the autophagosome membrane. This antibody can cross react with MAP1LC3A, MAP1LC3B, and MAP1LC3C.

Storage

Storage:
Store at -20°C. Avoid exposure to light. Stable for one year after shipment.
Storage Buffer:
PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: Proteintech-CN@ptglab.com


W: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed Chloroquine treated HepG2 cells using CoraLite® Plus 488 LC3 antibody (CL488-14600) at dilution of 1:200.



1X10⁶ HeLa cells were intracellularly stained with 0.8 ug CoraLite® Plus 488 Anti-Human LC3 (CL488-14600) (red), or 0.8 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).