For Research Use Only

## CoraLite® Plus 488-conjugated NQO2 Polyclonal antibody



**Purification Method:** 

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

Antigen affinity purification

Excitation/Emission maxima

Recommended Dilutions:

Catalog Number: CL488-15767

**Featured Product** 

**Basic Information** 

Catalog Number: CL488-15767

Size: 1000 µg/ml Source: Rabbit

Isotype: IgG

Immunogen Catalog Number: AG8403

GenBank Accession Number:

BC006096 GeneID (NCBI): 4835 UNIPROT ID: P16083 Full Name:

NAD(P)H dehydrogenase, quinone 2 Calculated MW:

231 aa, 26 kDa Observed MW: 26 kDa

**Applications** 

**Tested Applications:** 

IF/ICC

Species Specificity: human, mouse

Positive Controls:

IF/ICC : HeLa cells,

**Background Information** 

NQO2, also named as QR2 and NMOR2, belongs to the NAD(P)H dehydrogenase (quinone) family. It serves as a quinone reductase in connection with conjugation reactions of hydroquinones involved in detoxification pathways as well as in biosynthetic processes such as the vitamin K-dependent gamma-carboxylation of glutamate residues in prothrombin synthesis. The cytosolic quinone oxidoreductases NQO1 and NQO2 protect cells against oxidative stress by detoxifying quinones and preventing redox cycling. NQO1 and NQO2 are important endogenous factors in regulation of immune response and autoimmunity.

Storage

Storage


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using CoraLite® Plus 488 NQO2 antibody (CL488-15767) at dilution of 1:200.