For Research Use Only

CoraLite® Plus 488-conjugated Arginase-1 Polyclonal antibody

Catalog Number: CL488-16001



Basic Information

Catalog Number: GenBank Accession Number:

CL488-16001 BC005321 GeneID (NCBI):

1000 ug/ml **UNIPROT ID:** Source:

Rabbit P05089 Full Name: Isotype: arginase, liver

Calculated MW: Immunogen Catalog Number:

AG8595 236aa,25 kDa; 322aa,35 kDa

> Observed MW: 35-36 kDa

Purification Method:

Antigen affinity purification Recommended Dilutions: IF-P 1:200-1:800

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

IF/ICC 1:50-1:500

Applications

Tested Applications:

IF/ICC, IF-P

Species Specificity: human, mouse, rat

Positive Controls:

IF-P: human liver cancer tissue,

IF/ICC: HepG2 cells,

Background Information

Arginase-1 (Liver arginase) belongs to the arginase family. ARG1 is a novel immunohistochemical marker of hepatocellular differentiation in fine needle aspiration cytology and a marker of hepatocytes and hepatocellular neoplasms. ARG1 is closely associated with alternative macrophage activation(PMID:12098359) and ARG1 has been shown to protect motor neurons from trophic factor deprivation and allow sensory neurons to overcome neurite outgrowth inhibition by myelin proteins(PMID: 20071539). It can exist as a homotrimer(PMID:16141327) and it has 3 isoforms produced by alternative splicing. Defects in ARG1 are the cause of argininemia (ARGIN). Deletion or TNFmediated restriction of ARG1 unleashes the production of NO by NOS2, which is critical for pathogen control. (PMID:27117406). ARG1 has 3 isoforms with the molecular mass of 25, 35 and 36 kDa.


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed human liver cancer tissue using Coralite® Plus 488 ARG1 antibody (CL488-16001) at dilution of 1:400.



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using Coralite® Plus 488 Arginase-1 antibody (CL488-16001) at dilution of 1:200.