For Research Use Only

## CoraLite® Plus 488-conjugated G3BP2 Polyclonal antibody



Catalog Number: CL488-16276

**Featured Product** 

**Basic Information** 

Catalog Number: CL488-16276

1000 µg/ml Source: Rabbit Isotype:

Immunogen Catalog Number:

Observed MW:

Calculated MW:

GenBank Accession Number:

GTPase activating protein (SH3 domain) binding protein 2

482aa,54 kDa; 449aa,51 kDa

65-70 kDa

BC011731

9908

GeneID (NCBI):

**UNIPROT ID:** 

Q9UN86

Full Name:

**Purification Method:** 

Antigen affinity purification

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

**Applications** 

**Tested Applications:** 

Species Specificity:

Positive Controls:

IF/ICC: sodium arsenite treated HeLa cells,

## **Background Information**

Stress granules (SGs) are cytoplasmic mRNA-protein condensates formed in response to cellular stressors, such as oxidative stress, ultraviolet radiation, and viral infection (1). The Ras-GTPase-activating protein-binding proteins (G3BPs), consisting of G3BP1 and G3BP2, are key nucleating factors essential for SG formation. They function to protect RNAs from harmful conditions. G3BP2 is mainly distributed in the cytoplasm and participates in the formation of stress granules, cell differentiation, proliferation, and signal transduction. Accumulating evidence has demonstrated that aberrant expression of G3BP2 contributes to cancer initiation and progression, such as high expression of G3BP2 increasing cell stemness, metastasis and chemoresistance in breast cancer.


Storage


Store at -20°C. Avoid exposure to light.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## **Selected Validation Data**







Immunofluorescent analysis of (4% PFA) fixed sodium arsenite treated HeLa cells using CoraLite® Plus 488 G3BP2 antibody (CL488-16276) at dilution of 1:200, CL594-Phalloidin (red).