## For Research Use Only


## CoraLite® Plus 488-conjugated GLI2-Specific Polyclonal antibody Catalog Number: CL488-18989 Featured Product

proteintech Antibodies | ELISA kits | Proteins www.ptglab.com

| Basic Information     | Catalog Number:<br>CL488-18989  | GenBank Accession Number:<br>NM_005270   | Purification Method:<br>Antigen affinity purification         |                                 |  |
|-----------------------|---|--|---|---------------------------------|--|
|                       | Size:<br>1000 ug/ml<br>Source:<br>Rabbit<br>Isotype:<br>IgG   | GeneID (NCBI):<br>2736<br>UNIPROT ID:<br>QoVGT2<br>Full Name:<br>GLI family zinc finger 2  | Excitation/Emission maxima<br>wavelengths:<br>493 nm / 522 nm |                                 |  |
|                       |   |  |   | Calculated MW:<br>168 kDa       |  |
|                       |   |  |   | Observed MW:<br>167 kDa, 88 kDa |  |
|                       |   | Applications   | Tested Applications:<br>FC (Intra)                            |                                 |  |
|                       |   |  | Species Specificity:<br>human, mouse, rat                     |                                 |  |
| Background Informatic | embryogenesis. It binds to t<br>that augments the Tax-depo<br>transduction of SHH signal.<br>(hGli2a, b, g, and d) are form | GLI2, also named as THP, belongs to the GLI C2H2-type zinc-finger protein family. GLI2 play a role during<br>embryogenesis. It binds to the DNA sequence 5'-GAACCACCCA-3' which is part of the TRE-2S regulatory element<br>that augments the Tax-dependent enhancer of human T-cell leukemia virus type 1. It is implicated in the<br>transduction of SHH signal. Mutation of GLI2 will cause of holoprosencephaly type 9 (HPE9). Four possible isoforms<br>(hGli2a, b, g, and d) are formed by combinations of two independent alternative splicings, and all the isoforms could<br>bind to a DNA motif, TRE2S. hGli2 a, b, g, and d. These isoforms encode 133-, 131-, 88-, and 86-kDa proteins,<br>respectively. |   |                                 |  |
| Storage               | Storage Buffer:<br>PBS with 50% Glycerol, 0.0   | Store at -20°C. Avoid exposure to light. Stable for one year after shipment.   |   |                                 |  |

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Mouse GLI2-Specific (CL488-18989) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).