For Research Use Only

CoraLite® Plus 488-conjugated pankeratin Polyclonal antibody

Antibodies | ELISA kits | Proteins

www.ptglab.com

Catalog Number: CL488-26411

Basic Information

Catalog Number: GenBank Accession Number:

 CL488-26411
 BC024292

 Size:
 GeneID (NCBI):

 1000 ug/ml
 3852

Source: UNIPROT ID:
Rabbit P13647
Isotype: Full Name:
IgG keratin 5

Immunogen Catalog Number: Calculated MW: AG24184 590 aa, 62 kDa

Purification Method:

Antigen affinity purification Recommended Dilutions:

IF-P 1:50-1:500 IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

Applications

Tested Applications: IF/ICC, IF-P, FC (Intra) Species Specificity:

human

Positive Controls:

IF-P: human colon cancer tissue, human lung cancer

tissue, human rectal cancer tissue IF/ICC : HeLa cells, A431 cells

Background Information

Keratins are a large family of proteins that form the intermediate filament cytoskeleton of epithelial cells, which are classified into two major sequence types. Type I keratins are a group of acidic intermediate filament proteins, including K9-K23, and the hair keratins Ha1-Ha8. Type II keratins are the basic or neutral courterparts to the acidic type I keratins, including K1-K8, and the hair keratins, Hb1-Hb6. Keratin isoforms demonstrate tissue- and differentiation-specific profiles that make them useful as research biomarkers. Research studies have shown that mutations in keratin genes are associated with skin disorders, liver and pancreatic diseases, and inflammatory intestinal diseases. This antibody is a pan-keratin antibody.

Storage


Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




Immunofluorescent analysis of (4% PFA) fixed human colon cancer tissue using CoraLite® Plus 488 pan-keratin antibody (CL488-26411) at dilution of 1:200, CoraLite® Plus 647 CD3 antibody (CL647-60181, Clone: 3F3A1, Magenta) at dilution of 1:100, CoraLite®594 CD8 antibody (CL594-66868, Clone: 1G2B10, Red) at dilution of 1:400. DAPI (Blue).




Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CoraLite® Plus 488 pan-keratin antibody (CL488-26411) at dilution of 1:100.




Immunofluorescent analysis of (4% PFA) fixed human lung cancer tissue using Coralite® Plus 488 pan-keratin antibody (CL488-26411) at dilution of 1:200, Coralite® Plus 647 CD20 antibody (CL647-60271, Clone: 4A7G3, Magenta).



Immunofluorescent analysis of (4% PFA) fixed human colon cancer tissue using CoraLite® Plus 488 pan-keratin antibody (CL488-26411) at dilution of 1:100.



Immunofluorescent analysis of (4% PFA) fixed human colon cancer tissue using CoraLite® Plus 488 pan-keratin antibody (CL488-26411) at dilution of 1:100



1X10^6 A431 cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human pankeratin (CL488-26411) (red), or 0.4 ug Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).