For Research Use Only

CoraLite® Plus 488 Anti-Mouse CD3 © (500-A2)



Purification Method:

Catalog Number: CL488-65061

Basic Information

Catalog Number: GenBank Accession Number: CL488-65061 BC098236

Affinity purification ze: GenelD (NCBI): CloneNo.:

100ug, 500 μg/ml 12501 500-A2

Source: UNIPROT ID: Recommended Dilutions: Hamster P22646 IF/ICC 1:250-1:1000

Isotype: Full Name: Excitation/Emission maxima
IgG CD3 antigen, epsilon polypeptide wavelengths:

CD3 antigen, epsilon polypeptide wavelengths: 493 nm / 522 nm

Applications

Tested Applications:

IF/ICC, FC

Species Specificity:

mouse

Positive Controls:

IF/ICC: mouse splenocytes,

Background Information

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 γ , δ , ϵ , and ζ chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).


Storage

Storage


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer.

PBS with 0.1% sodium azide and 0.5% BSA, pH 7.3.

Selected Validation Data



1X10^6 mouse splenocytes were surface stained with 0.25 ug Coralite® Plus 488 Anti-Mouse CD3 $\,^{\circ}$ (CL488-65061, Clone:500-A2) (green) or 0.25 ug Control Antibody. Cells were not fixed.



Immunofluorescent analysis of mouse splenocytes using CoraLite® Plus 488-conjugated Anti-Mouse CD3 ϵ (CL488-65061, Clone: 500-A2) at dilution of 1:500.