For Research Use Only

CoraLite® Plus 488 Anti-Human ICAM-1/CD54 (15.2)

Catalog Number: CL488-65075



Purification Method:

Affinity purification

Recommended Dilutions:

FC: 5 ul per 10^6 cells in 100 μ l

Excitation/Emission maxima

CloneNo.:

suspension

wavelengths:

493 nm / 522 nm

Basic Information

Catalog Number: CL488-65075 Concentration:

100tests, 5 µl/test Source: Mouse Isotype: IgG1, kappa

Tested Applications: Species Specificity:

human

GenBank Accession Number:

BC015969 GeneID (NCBI): 3383

90 kDa

ENSEMBL Gene ID: ENSG00000090339 UNIPROT ID: P05362

Full Name: intercellular adhesion molecule 1

Calculated MW:

Positive Controls: FC: human PBMCs,

Background Information

ICAM-1 (CD54) is a 90-kDa transmembrane glycoprotein of the immunoglobulin superfamily and is critical for the firm attachment and transmigration of leukocytes out of blood vessels and into tissues (PMID: 19307690). ICAM-1 is expressed by several cell types, typically on endothelial cells and cells of the immune system, and its expression can be up-regulated by various stimuli, including TNF- α , INF- γ , IL-1 and thrombin (PMID: 3086451; 9694714; 15979056). It is a ligand for LFA-1 and Mac-1, serves as a receptor for rhinovirus, and is one of several receptors used by Plasmodium falciparum (PMID: 2566624; 2538244; 2475784).


Storage

Applications


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 488 Anti-Human CD54 (ICAM-1) (CL488-65075, Clone:15.2) or unstained. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 488 Anti-Human CD54 (ICAM-1) (CL488-65075, Clone:15.2) or unstained. Cells were not fixed. Monocytes were gated.