## For Research Use Only


## CoraLite® Plus 488 Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2)


Catalog Number: CL488-65122

Basic Information	Catalog Number: CL488-65122	GenBank Accession Number: BC031711	Purification Method: Affinity purification	
	Size: 100ug, 500 µg/ml	GenelD (NCBI): 14960	CloneNo.: M5/114.15.2	
	Source: Rat	UNIPROT ID: P14434	Recommended Dilutions: IF/ICC 1:200-1:800	
	Isotype: IgG2b, kappa	Full Name: histocompatibility 2, class II antiger A, alpha	Excitation/Emission maxima wavelengths: 493 nm / 522 nm	
Applications	Tested Applications: IF/ICC, FC		Positive Controls: IF/ICC : mouse splenocytes,	
	Species Specificity: mouse			
Background Informatic	are expressed on the surface M5/114.15.2 antibody detect cells, and activated T lympho from mice carrying the H-2s subregion-encoded Ia glycop	M5/114.15.2 antibody detects polymorphic determinants present on B cells, macrophages, and B celts. The M5/114.15.2 antibody detects polymorphic determinants present on B cells, monocytes, macrophages, dendritic cells, and activated T lymphocytes from mice carrying the H-2b, H-2d, H-2q, H-2p, H-2r and H-2u haplotypes but not from mice carrying the H-2s or H-2f haplotypes (PMID: 6170707). This antibody recognizes both I-A and I-E subregion-encoded Ia glycoproteins (I-Ab, I-Ad, I-Ad, I-Ed, I-Ed, I-Ed, I-Af, I-Ak, or I-As). M5/114 mAb is reported to inhibit I-A subregion-restricted T cell responses of the H-2b, H-2d, H-2q, H-2u but not the H-2f, H-2k, H-2k haplotypes		
Storage	Storage: Store at 2-8°C. Avoid exposu Storage Buffer: PBS with 0.1% sodium azide	re to light. Stable for one year after shipment. and 0.5% BSA, pH 7.3.		

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data





1x10<sup>^6</sup> mouse splenocytes were surface stained with 0.25 ug CoraLite® Plus 488 Anti-Mouse MHC Class II (I-A/I-E) (M5/114.15.2) (CL488-65122, Clone: M5/114.15.2), or 0.25 ug CoraLite® Plus 488 Rat IgG2b Isotype Control (LTF-2) (CL488-65211, Clone: LTF-2). Cells were co-stained with 0.25 ug CoraLite® Plus 647 Anti-Mouse CD3 (17A2) (CL647-65077, Clone: 17A2). Cells were not fixed.

Immunofluorescent analysis of mouse splenocytes using CoraLite® Plus 488-conjugated Anti-Mouse MHC Class II (I-A/I-E) (CL488-65122, Clone: M5/114.15.2) at dilution of 1:400.