CoraLite® Plus 488-conjugated ERp57/ERp60 Monoclonal antibody

Catalog Number: CL488-66423

Basic Information	Catalog Number: CL488-66423	GenBank Accession Number: BC014433	Purification Method: Protein G purification
	Size: 1000 μg/ml	GenelD (NCBI): 2923	CloneNo.: 3G4G7
	Source: Mouse	UNIPROT ID: P30101	Recommended Dilutions: IF/ICC 1:50-1:500
	Isotype: IgG1 Immunogen Catalog Number: AG8741	Full Name: Excitation/Emission maxima protein disulfide isomerase family A, wavelengths: member 3	
		Calculated MW: 505 aa, 57 kDa	
		Observed MW: 57 kDa, 60 kDa	
Applications	Tested Applications:	Positive Controls: IF/ICC : HEK-293 cells,	
	IF/ICC Species Specificity: human, mouse, rat		
Background Information	PDIA3, also named as P58, ER60, ERp57, ERp60, ERp61, GRP57, GRP58 and PI-PLC, is a member of the PDI family, participates in the oxidation, reduction, and isomerization of disulfide bonds for correct folding of secretory proteins before modification and transport in the endoplasmic reticulum. It is associated with apoptosis or inhibition of cancer cell growth. PDIA3 was once thought to be a phospholipase; however, it has been demonstrated that this protein actually has protein disulfide isomerase activity. It is thought that complexes of lectins and PDIA3 mediate protein folding by promoting formation of disulfide bonds in their glycoprotein substrates.		
Storage	Storage: Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer: PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3. Aliquoting is unnecessary for -20°C storage		


For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Antibodies | ELISA kits | Proteins

www.ptglab.com

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HEK-293 cells using CL488-66423 (ERp57/ERp60 antibody) at dilution of 1:100.