For Research Use Only

CoraLite® Plus 488-conjugated Nurr1/NR4A2 Monoclonal antibody




Catalog Number: CL488-66878

Basic Information	Catalog Number: CL488-66878	GenBank Accession Number: BC009288	Purification Method: Protein G purification
	Size: 1000 µg/ml	GenelD (NCBI): 4929	CloneNo.: 1H5B4
	Source: Mouse Isotype: IgG1 Immunogen Catalog Number: AG1418	UNIPROT ID: P43354	Excitation/Emission maxima wavelengths:
		Full Name: 493 nm / 522 nm nuclear receptor subfamily 4, group A, member 2 Calculated MW: 66 kDa	
		Observed MW: 67 kDa	
Applications	Tested Applications: FC (Intra) Species Specificity: Human, mouse		
Background Information	NR4A2 belongs to the orphan nuclear receptor (NR) family referred to as NR4A family, which have been implicated in cell cycle regulation, apoptosis, inflammation, metabolism and more recently in carcinogenesis [PMID:22583411]. NR4A2 also has a role in the expression of several proteins that are necessary for the synthesis and regulation of DA, such as tyrosine hidroxilase, DA transporter, vesicular monoamine transporter 2, and cRET [PMID:22294735]. Act as a transcriptional regulator, NR4A2 is essential for the differentiation and maintenance of meso-diencephalic mdDA neurons during development. It is crucial for expression of a set of genes such as SLC6A3, SLC18A2, TH and DRD2 which are essential for development of mdDA neurons [PMID: 17184956].		
Storage	Storage: Store at -20°C. Avoid exposure to I Storage Buffer: PBS with 50% Glycerol, 0.05% Pro Aliquoting is unnecessary for -20°	-	nt.

For technical support and original validation data for this product please contact:T: 4006900926E: Proteintech-CN@ptglab.comW: ptgcn.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



1x10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 488-conjugated Nurr1/NR4A2 Monoclonal antibody (CL488-66878, Clone:1H5B4) (red), or 0.4 ug Isotype Control (blue). Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).