For Research Use Only

CoraLite® Plus 488-conjugated HOXA7 Monoclonal antibody



Catalog Number: CL488-67112

Featured Product

Basic Information

Catalog Number:

CL488-67112

1000 ug/ml

Source:

Mouse Isotype: lgG1

Immunogen Catalog Number:

AG19025

Species Specificity:

GenBank Accession Number:

BC148692 GeneID (NCBI):

3204

UNIPROT ID:

P31268 Full Name:

homeobox A7

Calculated MW: 230 aa, 25 kDa

Observed MW: 20 kDa

Purification Method:

Protein G purification

CloneNo.: 2A7H6

Recommended Dilutions:

IF/ICC 1:50-1:500

Excitation/Emission maxima wavelengths:

493 nm / 522 nm

Applications

Tested Applications:

IF/ICC

human

Positive Controls:

IF/ICC: HepG2 cells,

Background Information

HOX genes play a fundamental role in the development of the vertebrate central nervous system, heart, axial skeleton, limbs, gut, urogenital tract and external genitalia. The homeobox gene Hoxa-1 is transcriptionally regulated by retinoic acid (RA) and encodes a transcription factor, which has been shown to play important roles in $cell\ differentiation\ and\ embryogenesis.\ Hox a-1\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ it\ is\ also\ expressed\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ in\ cancers,\ such\ as\ mammary\ tumors,\ though\ in\ cancers,\ in\ cancers,$ not expressed in normal gland or in precancerous mammary tissues. At embryonic stages, Hoxa-2 is expressed in the mesenchyme and epithelial cells of palate, however its expression is restricted to the tips of the growing palatal shelves. Hoxa-2 protein is predominantly expressed in the nuclei of cells in the ventral mantle region of the developing embryo. In the developing and adult mouse spinal cord, Hoxa-2 protein may contribute to dorsal-ventral patterning and/or to the specification of neuronal phenotype. Hoxa-7 functions as a potent transcriptional repressor and its action as such requires several domains, including both activator and repressor regions. Hoxa-7 is expressed in the fetal liver, lung, skeletal muscle, kidney, pancreas and placenta.

Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CoraLite® Plus 488 HOXA7 antibody (CL488-67112, Clone: 2A7H6) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using CoraLite® Plus 488 HOXA7 antibody (CL488-67112, Clone: 2A7H6) at dilution of 1:200.