For Research Use Only

## CoraLite® Plus 488-conjugated STAT4 Monoclonal antibody



Catalog Number: CL488-67568

**Basic Information** 

Catalog Number: CL488-67568

Size: 1000 µg/ml Source: Mouse Isotype: lgG1

Immunogen Catalog Number:

AG19545

Calculated MW: 748 aa, 86 kDa

Observed MW: 86 kDa

BC031212

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

transcription 4

Q14765

GenBank Accession Number:

signal transducer and activator of

**Purification Method:** 

Protein G purification CloneNo.:

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

4A8C9

**Applications** 

**Tested Applications:** 

FC (Intra)

Species Specificity: Human, Mouse, Rat

## **Background Information**

The JAK/STAT pathway is an extensive signaling pathway downstream of cytokine receptors. STATs are cytosolic proteins with a common structure consisting of an N-terminal oligomerization domain, which favors formation of STAT dimers, followed by a DNA-binding domain and a C-terminal SRC homology-2 (SH2) domain, which is involved in association between STATs and receptors[PMID:22383755]. Signal Transducer and Activator of Transcription 4 (STAT4) is a transcription factor that is activated by IL-12 signaling and promotes Th1-cell differentiation and IFN-  $\gamma$  production [PMID:21998209].


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



1X10^6 HepG2 cells were intracellularly stained with 0.8 ug CoraLite® Plus 488 Anti-Human STAT4 (CL488-67568, Clone:4A8C9) (red), or 0.8  $\mu$  g Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).