For Research Use Only

CoraLite® Plus 488-conjugated EEA1 Monoclonal antibody



Purification Method:

Protein G purification

Recommended Dilutions:

Excitation/Emission maxima

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

CloneNo.:

1E11E4

Catalog Number: CL488-68065

Featured Product

1 Publications

Basic Information

Applications

Catalog Number: CL488-68065

Size:

1000 µg/ml Source: Mouse Isotype:

Immunogen Catalog Number:

AG28814

lgG1

162 kDa

162 kDa

Tested Applications:

IF/ICC, FC (Intra) Cited Applications:

IF

Species Specificity:

human, mouse, rat

GenBank Accession Number:

NM_003566

GeneID (NCBI):

UNIPROT ID: Q15075

Full Name: early endosome antigen 1

Calculated MW:

Observed MW:

Positive Controls:

IF/ICC: HeLa cells, HepG2 cells

Background Information

Early endosome antigen 1 (EEA1) is a marker of early endosomes and has an important role in endosomal trafficking. EEA1 contains coiled-coil regions and an FYVE-type zinc finger which interacts with phosphatidylinositol-3-phosphate. EEA1 functions as a Rab5 effector, mediates endosome docking and, together with SNAREs, leads to membrane fusion.

Notable Publications

Author	Pubmed ID	Journal	Application
Xiao-Rong Huang	39193910	Autophagy	IF


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.


PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using Coralite® Plus 488 EEA1 antibody (CL488-68065, Clone: 1E11E4) at dilution of 1:200, CL594-phalloidin (red).



1X10^6 HeLa cells were intracellularly stained with 0.4 ug CoraLite® Plus 488 Anti-Human EEA1 (CL488-68065, Clone:1E11E4) (red), or 0.4 ug Mouse IgG1 Isotype Control (CL488-66360, Clone: T1F8D3F10) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).