For Research Use Only

CoraLite® Plus 488-conjugated PTEN Recombinant antibody

Catalog Number: CL488-80718-7



Purification Method:

Protein A purification

Recommended Dilutions:

Excitation/Emission maxima

IF/ICC 1:50-1:500

wavelengths: 493 nm / 522 nm

CloneNo.:

240134F7

Basic Information

Applications

Catalog Number: GenBank Accession Number: CL488-80718-7 BC005821

Concentration: GeneID (NCBI): 1000 ug/ml 5728
Source: UNIPROT ID: Rabbit P60484

Isotype: Full Name:
IgG phosphatase and tensin homolog

Immunogen Catalog Number: Calculated MW:

AG17274 47 kDa

Tested Applications: IF/ICC

Species Specificity:

Positive Controls: IF/ICC : HeLa cells,

human

Background Information

PTEN is one of the most critical tumor suppressors, which functions at different subcellular locations, including the plasma membrane and nucleus. The PTEN protein is located at different subcellular regions-PTEN at the plasma membrane suppresses PI3-kinase signaling in cell growth, whereas PTEN in the nucleus maintains genome integrity. At the plasma membrane, PTEN counteracts PI3 kinase signaling by dephosphorylating the potent second messenger PIP3 to PIP2. The loss of PTEN in cancer cells results in over-activation of AKT and mTOR signaling, leading to excessive stimulation of cell growth and inhibition of cell death. In the nucleus, PTEN functions in DNA repair, genome stability, and cell cycle control through associations with Rad51 and p53. PTEN stability is primarily regulated by phosphorylation of C-terminal tail domains (Thr366, Ser370, Ser380, Thr382, Thr383, and Ser385). The phosphorylation leads to a "closed" state of PTEN and maintains PTEN stability. Dephosphorylation of the C-terminal tail opens the PTEN phosphatase domain, thereby increasing PTEN activity. PTEN protein is of the apparent molecular mass expected for PTEN (55 kDa) and PTEN a (70 kDa).(PMID: 33083717, PMID: 20622047, PMID: 24768297)

Storage

Storage:


Store at -20 °C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:

PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using Coralite® Plus 488 PTEN antibody (CL488-80718-7, Clone: 240134F7) at dilution of 1:200.