For Research Use Only

CoraLite® Plus 488-conjugated CXCR4 Recombinant antibody

Catalog Number: CL488-84904



Purification Method:

Protein A purification

Recommended Dilutions:

Excitation/Emission maxima

IF/ICC: 1:50-1:500

CloneNo.:

241734B2

Basic Information

Catalog Number: CL488-84904

Concentration: GeneID (NCBI): 1000 ug/ml 7852 **UNIPROT ID:** Source:

Rabbit P61073 Full Name: Isotype:

chemokine (C-X-C motif) receptor 4

Calculated MW:

GenBank Accession Number:

wavelengths: 493 nm / 522 nm

352 aa, 40 kDa

BC020968

Applications

Tested Applications: IF/ICC

Species Specificity: human, mouse

Positive Controls:

IF/ICC: Jurkat cells,

Background Information

C-X-C chemokine receptor type 4 (CXCR4) is a widely expressed G protein-coupled seven-transmembrane receptor. CXCL12/SDF-1 is the biological ligand for CXCR4. The binding of CXCL12 to CXCR4 induces intracellular signaling through several divergent pathways initiating signals related to chemotaxis, cell survival and/or proliferation, increase in intracellular calcium, and gene transcription (PMID: 20484021). CXCR4 also functions as a coreceptor for HIV-1 entry (PMID: 9427609). CXCR4 has a calculated molecular weight of 40 kDa. In addition to the predicted species of 45-47 kDa for glycosylated CXCR4 monomers, due to ubiquitination, dimeration, and different degrees of glycosylation, additional species can also exist and have been reported in some research, including 67 kDa (PMID: 23917520), 55, 67, 87 kDa (PMID: 20028517), 80 kDa (PMID: 10506573), 47, 50, 62, and 98 kDa (PMID: 16204649).


Storage

Store at -20°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer

PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed Jurkat cells using Coralite® Plus 488 CXCR4 antibody (CL488-84904, Clone: 241734B2) at dilution of 1:200.