For Research Use Only

## CoraLite® Plus 488 Anti-Human TIGIT Rabbit Recombinant Antibody

Catalog Number: CL488-98023-2



**Basic Information** 

Catalog Number: CL488-98023-2 Concentration:

100tests, 5 ul/test Source:

Rabbit Isotype:

IgG

GenBank Accession Number:

NM\_173799.4 GeneID (NCBI): 201633 UNIPROT ID: Q495A1-1

Full Name:

T cell immunoreceptor with Ig and

ITIM domains

Calculated MW:
26 kDa

Purification Method:

Protein A purification

CloneNo.: 240423C7

Recommended Dilutions: FC: 5 ul per 10^6 cells in 100  $\,\mu$  l

suspension

Excitation/Emission maxima

wavelengths: 493 nm / 522 nm

**Applications** 

Tested Applications:

Species Specificity:

human

Positive Controls:

FC: human PBMCs,

## **Background Information**

TIGIT (T-cell immunoreceptor with Ig and ITIM domains), also known as VSIG9 or VSTM3, is an immune receptor expressed on T cells, including Treg and memory subsets, as well as on NK cells (PMID: 19011627). It contains an immunoglobulin variable domain, a transmembrane domain and an immunoreceptor tyrosine-based inhibitory motif (ITIM). TIGIT binds to poliovirus receptor (PVR, also called CD155) with high affinity, and also to PVRL2 (CD112) with lower affinity. The interaction of TIGIT with PVR on dendritic cells increases the secretion of IL-10 and decreases the secretion of proinflammatory cytokine and suppresses T-cell activation by promoting the generation of mature immunoregulatory dendritic cells. TIGIT can inhibit NK cytotoxicity directly through its ITIM (PMID: 19815499).

Storage


Storage:

Store at 2-8 °C. Avoid exposure to light. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

## **Selected Validation Data**



1x10^6 human PBMCs were surface stained with CoraLite® Plus 647 Anti-Human CD45RO, and 5 ul CoraLite® Plus 488 Anti-Human TIGIT Rabbit RecAb (CL488-98023-2, Clone: 240423C7) or CoraLite® Plus 488 Rabbit 1gG Isotype Control RecAb (CL488-98136, Clone: 240953C9). Cells were not fixed. Lymphocytes were gated.



1x10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 488 Anti-Human TlGIT Rabbit RecAb (CL488-98023-2, Clone: 240423C7) (red) or CoraLite® Plus 488 Rabbit IgG Isotype Control RecAb (CL488-98136, Clone: 240953C9) (blue). Cells were not fixed. Lymphocytes were gated.