For Research Use Only

## CoraLite®555-conjugated S100A11 Polyclonal antibody

Catalog Number:CL555-10237 Featured Product



**Basic Information** 

Catalog Number: GenBank Accession Number:
CL555-10237 BC001410

Concentration: GeneID (NCBI):
500 µg/ml 6282

Source: UNIPROT ID:
Rabbit P31949

 Isotype:
 Full Name:

 IgG
 \$100 calcium binding protein A11

Immunogen Catalog Number: Calculated MW: AG0343 105 aa, 12 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: IF/ICC: 1:50-1:500

FC (Intra): 0.40 ug per 10^6 cells in a 100 µl suspension

Excitation/Emission maxima wavelengths:

557 nm / 570 nm

**Applications** 

Tested Applications:

IF/ICC, FC (Intra)

Species Specificity:
human, mouse, rat

Positive Controls:

IF/ICC : PC-3 cells,

FC (Intra) : PC-3 cells,

## **Background Information**

S100A11 (also known as S100C or calziggarin), is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs (PMID: 18694925). S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. First discovered in 1989, S100A11 has since been proposed to have direct biological functions in an assortment of physiological processes such as endo- and exocytosis, regulation of enzyme activity, cell growth and regulation, apoptosis and inflammation (PMID: 15241500). Chromosomal rearrangements and altered expression of S100A11 have been implicated in tumor metastasis. This S100A11 antibody (10237-1-AP) has also been instrumental in investigations into S100A11's role in the development of brain tumors in tuberous sclerosis complex (TSC) patients (PMID: 20133820).

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer


PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3  $\,$ 

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed PC-3 cells using CoraLite®555 S100A11 antibody (CL555-10237) at dilution of 1:200.



1X10^6 PC-3 cells were intracellularly stained with 0.4 ug Coralite®555 Anti-Human S100A11 (CL555-10237) (red), or 0.4 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).